

Svetsade precisionsrör

Runda precisions rör enligt EN 10305-3.

Yd1	Gods	Vikt/m	Längd	Dimension & Material	Art nr	Pris/m
8	1	0,173	6100	8x1x6100_E220_CR2_S3_10305-3	3802	5,51
9,5	1	0,210	6100	9.50x1x6100_E220_CR2_S3_10305-3	3809	7,56
10	1	0,222	6100	10x1x6100_E220_CR2_S3_10305-3	3811	7,81
10	1,5	0,314	6100	10x1.50x6100_E220_CR2_S3_10305-3	3817	9,95
10	2	0,394	6100	10x2x6100_E220_CR2_S3_10305-3	3825	15,92
12	1	0,271	6100	12x1x6100_E220_CR2_S3_10305-3	3829	8,86
12	1,5	0,388	6100	12x1.50x6100_E220_CR2_S3_10305-3	3840	11,88
12,7	1	0,289	6100	12.70x1x6100_E220_CR2_S3_10305-3	3858	9,51
12,7	1,25	0,353	6700	12.70x1.25x6700_E220_CR2_S3_10305-3	3864	10,99
12,7	1,5	0,414	6100	12.70x1.50x6100_E220_CR2_S3_10305-3	3866	12,29
13	1,5	0,425	6100	13x1.50x6100_E220_CR2_S3_10305-3	3870	12,54
14	1	0,321	6100	14x1x6100_E220_CR2_S3_10305-3	3871	10,09
14	1,5	0,462	6100	14x1.50x6100_E220_CR2_S3_10305-3	3873	13,28
14	2	0,592	6100	14x2x6100_E220_CR2_S3_10305-3	3881	16,55
15	1	0,345	6100	15x1x6100_E220_CR2_S3_10305-3	3886	10,24
15	1,5	0,499	6100	15x1.50x6100_E220_CR2_S3_10305-3	3890	14,37
15	2	0,640	6100	15x2x6100_E220_CR2_S3_10305-3	3894	18,45
16	1	0,370	6100	16x1x6100_E220_CR2_S3_10305-3	3908	10,87
16	1,25	0,460	6100	16x1.25x6100_E220_CR2_S3_10305-3	3938	13,46
16	1,5	0,536	6100	16x1.50x6100_E220_CR2_S3_10305-3	3941	15,32
16	2	0,691	6100	16x2x6100_E220_CR2_S3_10305-3	3958	19,48
18	1	0,419	6100	18x1x6100_E220_CR2_S3_10305-3	3968	11,84
18	1,5	0,610	6100	18x1.50x6100_E220_CR2_S3_10305-3	3973	16,88
18	2	0,789	6100	18x2x6100_E220_CR2_S3_10305-3	3976	21,66
19	1	0,444	6100	19x1x6100_E220_CR2_S3_10305-3	3980	12,27
19	1,25	0,547	6100	19x1.25x6100_E220_CR2_S3_10305-3	3989	14,87
19	1,5	0,647	6100	19x1.50x6100_E220_CR2_S3_10305-3	4000	17,42
19	2	0,838	6100	19x2x6100_E220_CR2_S3_10305-3	4023	22,35
20	1	0,469	6100	20x1x6100_E220_CR2_S3_10305-3	4025	13,00
20	1,25	0,578	6100	20x1.25x6100_E220_CR2_S3_10305-3	4030	15,72
20	1,5	0,684	6100	20x1.50x6100_E220_CR2_S3_10305-3	4032	18,37
20	2	0,888	6100	20x2x6100_E220_CR2_S3_10305-3	4045	23,65
20	2,5	1,080	6100	20x2.50x6100_E220_CR2_S3_10305-3	4071	28,76
20	3	1,258	6100	20x3x6100_E220_CR2_S2_10305-3	210117	30,35
21	1,5	0,721	6100	21x1.50x6100_E220_CR2_S3_10305-3	4088	19,78
22	1	0,518	6100	22x1x6100_E220_CR2_S3_10305-3	4094	14,21
22	1,25	0,640	6100	22x1.25x6100_E220_CR2_S3_10305-3	4097	17,24
22	1,5	0,758	6100	22x1.50x6100_E220_CR2_S3_10305-3	4101	20,39
22	2	0,986	6100	22x2x6100_E220_CR2_S3_10305-3	4150	26,27
22	2,5	1,200	6100	22x2.50x6100_E220_CR2_S3_10305-3	4172	31,97
22	3	1,405	6100	22x3x6100_E220_CR2_S3_10305-3	4177	37,53
25	1	0,592	6100	25x1x6100_E220_CR2_S3_10305-3	4196	16,25
25	1,25	0,732	6100	25x1.25x6100_E220_CR2_S3_10305-3	4209	19,69
25	1,5	0,869	6100	25x1.50x6100_E220_CR2_S3_10305-3	4213	23,40
25	2	1,130	6100	25x2x6100_E220_CR2_S3_10305-3	4230	30,08

Yd1	Gods	Vikt/m	Längd	Dimension & Material	Art nr	Pris/m
25	2,5	1,390	6100	25x2.50x6100_E220_+CR2_S2_10305-3	212806	35,52
25	2,5	1,390	6100	25x2.50x6100_E220_+CR2_S3_10305-3	4274	37,01
25	3	1,628	6100	25x3x6100_E220_+CR2_S3_10305-3	4286	43,38
25,4	1,25	0,744	6100	25.40x1.25x6100_E220_+CR2_S3_10305-3	4295	19,99
25,4	1,5	0,884	6100	25.40x1.50x6100_E220_+CR2_S3_10305-3	4297	23,73
27	2	1,230	6100	27x2x6100_E220_+CR2_S2_10305-3	4345	31,09
28	1	0,666	6100	28x1x6100_E220_+CR2_S3_10305-3	4352	17,94
28	1,25	0,825	6100	28x1.25x6100_E220_+CR2_S3_10305-3	4353	21,75
28	1,5	0,980	6100	28x1.50x6100_E220_+CR2_S3_10305-3	4354	25,83
28	2	1,280	6100	28x2x6100_E220_+CR2_S3_10305-3	4359	33,38
28	2,5	1,570	6100	28x2.50x6100_E220_+CR2_S3_10305-3	4360	40,53
28,6	1,5	1,000	6100	28.60x1.50x6100_E220_+CR2_S3_10305-3	4365	24,32
30	1,5	1,050	6100	30x1.50x6100_E220_+CR2_S3_10305-3	4368	27,68
30	2	1,381	6100	30x2x6100_E220_+CR2_S3_10305-3	4389	36,01
30	2,5	1,700	6100	30x2.50x6100_E220_+CR2_S3_10305-3	4421	44,36
30	3	1,998	6100	30x3x6100_E220_+CR2_S2_10305-3	219337	50,00
30	3	2,000	6100	30x3x6100_E220_+CR2_S3_10305-3	4437	52,16
32	1,5	1,130	6100	32x1.50x6100_E220_+CR2_S3_10305-3	4457	29,48
32	2	1,480	6100	32x2x6100_E220_+CR2_S3_10305-3	4476	38,19
32	2,5	1,820	6100	32x2.50x6100_E220_+CR2_S3_10305-3	4515	46,47
32	3	2,145	6350	32x3x6350_E220_+CR2_S2_10305-3	4521	52,61
35	1	0,838	6100	35x1x6100_E220_+CR2_S3_10305-3	4538	22,35
35	1,5	1,240	6100	35x1.50x6100_E220_+CR2_S3_10305-3	4552	32,37
35	2	1,630	6100	35x2x6100_E220_+CR2_S2_10305-3	4556	40,32
35	2,5	2,000	6100	35x2.50x6100_E220_+CR2_S2_10305-3	4562	48,94
35	3	2,368	6100	35x3x6100_E220_+CR2_S3_10305-3	4563	60,55
38	1	0,912	6100	38x1x6100_E220_+CR2_S3_10305-3	4568	24,28
38	1,5	1,350	6100	38x1.50x6100_E220_+CR2_S3_10305-3	4572	34,85
38	2	1,780	6100	38x2x6100_E220_+CR2_S3_10305-3	4592	45,50
38	2,5	2,190	6100	38x2.50x6100_E220_+CR2_S3_10305-3	4605	55,94
38	3	2,589	6100	38x3x6100_E220_+CR2_S3_10305-3	4610	66,17
40	1,5	1,420	6100	40x1.50x6100_E220_+CR2_S3_10305-3	4617	36,65
40	2	1,870	6100	40x2x6100_E220_+CR2_S3_10305-3	4621	47,75
40	2,5	2,310	6100	40x2.50x6100_E220_+CR2_S2_10305-3	4623	56,54
40	3	2,737	6100	40x3x6100_E220_+CR2_S3_10305-3	4626	69,98
42	2	1,970	6100	42x2x6100_E220_+CR2_S3_10305-3	4639	48,17
44,5	1,5	1,590	6100	44.50x1.50x6100_E220_+CR2_S3_10305-3	4643	41,06
44,5	2	1,720	6100	44.50x2x6100_E220_+CR2_S3_10305-3	4645	54,04
44,5	2,5	2,590	6100	44.50x2.50x6100_E220_+CR2_S2_10305-3	4646	62,68
45	1,5	1,610	6100	45x1.50x6100_E220_+CR2_S2_10305-3	4648	39,66
45	2	2,120	6100	45x2x6100_E220_+CR2_S2_10305-3	4659	51,31
45	3	3,107	6100	45x3x6100_E220_+CR2_S2_10305-3	4662	74,43
48	1,5	1,720	6100	48x1.50x6100_E220_+CR2_S3_10305-3	4666	43,96
48	2	2,270	6100	48x2x6100_E220_+CR2_S3_10305-3	4677	57,35
48	3	3,329	6100	48x3x6100_E220_+CR2_S3_10305-3	4680	83,26
50	1,5	1,790	6100	50x1.50x6100_E220_+CR2_S3_10305-3	4687	45,73
50	2	2,370	6100	50x2x6100_E220_+CR2_S2_10305-3	4719	57,35
50,8	1,25	1,530	6100	50.80x1.25x6100_E220_+CR2_S3_10305-3	4732	39,49
50,8	1,5	1,820	6100	50.80x1.50x6100_E220_+CR2_S3_10305-3	4733	46,47
50,8	2	2,410	6100	50.80x2x6100_E220_+CR2_S2_10305-3	4739	58,31

Yd1	Gods	Vikt/m	Längd	Dimension & Material	Art nr	Pris/m
50,8	2,5	2,980	6100	50.80x2.50x6100_E220_+CR2_S2_10305-3	4741	71,32
50,8	3	3,536	6100	50.80x3x6100_E220_+CR2_S2_10305-3	4742	84,70
54	2	2,570	6300	54x2x6300_E220_+CR2_S2_10305-3	4750	59,14
57	1,5	2,050	6100	57x1.50x6100_E220_+CR2_S3_10305-3	4765	51,81
57	2	2,710	6100	57x2x6100_E220_+CR2_S3_10305-3	4770	67,76
60	1,5	2,160	6100	60x1.50x6100_E220_+CR2_S3_10305-3	4777	54,57
60	2	2,860	6100	60x2x6100_E220_+CR2_S3_10305-3	4819	71,52
60	2	2,860	6100	60x2x6100_E220_+CR2_S2_10305-3	212524	68,46
60	2,5	3,550	6100	60x2.50x6100_E220_+CR2_S3_10305-3	4828	87,56
60	3	4,220	6100	60x3x6100_E220_+CR2_S2_10305-3	4829	99,83
63,5	1,5	2,290	6100	63.50x1.50x6100_E220_+CR2_S3_10305-3	4848	57,88
63,5	2	3,030	6100	63.50x2x6100_E220_+CR2_S2_10305-3	51203	72,51
70	1,5	2,534	6100	70x1.50x6100_E220_+CR2_S2_10305-3	4859	61,24
70	2	3,354	6100	70x2x6100_E220_+CR2_S2_10305-3	4868	80,27
76	1,5	2,756	6100	76x1.50x6100_E195_+CR1_S3_10305-3	4889	69,74
76	2	3,660	6100	76x2x6100_E195_+CR1_S3_10305-3	4890	91,28
80	1,5	2,900	6000	80x1.50x6000_E220_+CR2_S2_10305-3	4902	85,78
80	2	3,847	6100	80x2x6100_E220_+CR2_S2_10305-3	4912	113,72
89	1,5	3,240	6100	89x1.50x6100_E195_+CR1_S3_10305-3	4928	82,11
89	2	4,290	6100	89x2x6100_E195_+CR1_S3_10305-3	4931	107,26
102	1,5	3,717	6100	102x1.50x6100_E195_+CR1_S3_10305-3	4969	95,93
102	2	4,933	6100	102x2x6100_E195_+CR1_S3_10305-3	4980	125,62
108	2	5,228	6100	108x2x6100_E195_+CR1_S3_10305-3	4989	130,75
114	1,5	4,172	6100	114x1.50x6100_E195_+CR1_S3_10305-3	5001	102,90
114	2	5,520	6100	114x2x6100_E195_+CR1_S3_10305-3	5002	135,15
127	2	6,165	6100	127x2x6100_E195_+CR1_S3_10305-3	5032	154,27
133	2	6,460	6100	133x2x6100_E220_+CR2_S3_10305-3	5048	161,51

Svetsade precisionsrör

Rektangulära precisionsrör enligt EN 10305-5.

Yd1	Yd2	Gods	Längd	Vikt /m	Dimension & Material	Art nr	Pris/m
12	12	1	6100	0,345	12x12x1x6100_E220_CR2_S3_10305-5	5086	9,69
15	15	1,5	6100	0,632	15x15x1.50x6100_E220_CR2_S3_10305-5	5091	15,24
15	15	2	6000	0,810	15x15x2x6000_E220_CR2_S2_10305-5	5098	19,22
16	16	1,5	6100	0,679	16x16x1.50x6100_E220_CR2_S3_10305-5	5101	16,12
19	19	1,5	6100	0,820	19x19x1.50x6100_E220_CR2_S3_10305-5	5105	19,24
20	10	1	6100	0,438	20x10x1x6100_E220_CR2_S3_10305-5	5110	10,83
20	10	1,5	6100	0,632	20x10x1.50x6100_E220_CR2_S3_10305-5	5131	15,24
20	15	1,5	6100	0,750	20x15x1.50x6100_E220_CR2_S3_10305-5	5132	17,79
20	20	1	6100	0,595	20x20x1x6100_E220_CR2_S3_10305-5	5111	14,42
20	20	1,25	6100	0,733	20x20x1.25x6100_E220_CR2_S3_10305-5	5129	17,44
20	20	1,5	6100	0,868	20x20x1.50x6100_E220_CR2_S3_10305-5	5133	20,40
20	20	2	6100	1,120	20x20x2x6100_E220_CR2_S3_10305-5	5169	26,19
22	22	1,5	6100	0,962	22x22x1.50x6100_E220_CR2_S3_10305-5	5178	22,19
22	22	2	6100	1,250	22x22x2x6100_E220_CR2_S2_10305-5	5180	27,70
25	10	2	6100	0,970	25x10x2x6100_E220_CR2_S2_10305-5	5268	21,69
25	15	1,5	6100	0,870	25x15x1.50x6100_E220_CR2_S3_10305-5	5217	20,40
25	15	2	6100	1,120	25x15x2x6100_E220_CR2_S3_10305-5	5267	26,19
25	20	2	6100	1,290	25x20x2x6100_E220_CR2_S2_10305-5	5269	28,57
25	25	1,25	6100	0,930	25x25x1.25x6100_E220_CR2_S3_10305-5	5211	21,61
25	25	1,5	6100	1,092	25x25x1.50x6100_E220_CR2_S3_10305-5	5218	25,46
25	25	2	6100	1,440	25x25x2x6100_E220_CR2_S2_10305-5	5270	31,71
30	10	1,5	6100	0,880	30x10x1.50x6100_E220_CR2_S3_10305-5	5364	20,43
30	15	1,5	6100	0,985	30x15x1.50x6100_E220_CR2_S3_10305-5	5365	22,93
30	15	2	6100	1,280	30x15x2x6100_E220_CR2_S2_10305-5	5407	28,65
30	20	1,25	6050	0,932	30x20x1.25x6050_E220_CR2_S3_10305-5	5320	21,61
30	20	1,5	6100	1,100	30x20x1.50x6100_E220_CR2_S2_10305-5	5367	21,73
30	20	2	6100	1,440	30x20x2x6100_E220_CR2_S2_10305-5	5408	31,71
30	30	1,5	6100	1,340	30x30x1.50x6100_E220_CR2_S2_10305-5	5368	25,93
30	30	1,5	6100	1,340	30x30x1.50x6100_E220_CR2_S3_10305-5	5366	30,48
30	30	2	6100	1,750	30x30x2x6100_E220_CR2_S2_10305-5	5409	38,29
30	30	2	6000	1,750	30x30x2x6000_S235JR_CR1_S1_10305-5	5406	29,74
30	30	2	6350	1,750	30x30x2x6350_E235_CR1_S2_10305-5	5410	37,23
30	30	2,5	6750	2,160	30x30x2.50x6750_E220_CR2_S2_10305-5	5488	46,53
32	32	2,5	6100	2,316	32x32x2.50x6100_E220_CR2_S2_10305-5	5513	49,44
35	15	1,5	6100	1,110	35x15x1.50x6100_E220_CR2_S3_10305-5	5524	25,50
35	15	2	6100	1,440	35x15x2x6100_E220_CR2_S2_10305-5	5541	31,71
35	20	1,5	6100	1,220	35x20x1.50x6100_E220_CR2_S2_10305-5	5525	23,87
35	20	2	6000	1,590	35x20x2x6000_E220_CR2_S2_10305-5	5542	35,17
35	25	2	6100	1,758	35x25x2x6100_E220_CR2_S2_10305-5	5543	38,31
35	35	1,5	6100	1,570	35x35x1.50x6100_E220_CR2_S2_10305-5	5526	30,20
35	35	2	6100	2,070	35x35x2x6100_E220_CR2_S2_10305-5	5544	44,59
40	10	1,5	6100	1,110	40x10x1,5x6100_CR2_S310305-5	5607	25,50
40	20	1,5	6100	1,340	40x20x1.50x6100_E220_CR2_S2_10305-5	5572	25,93
40	20	1,5	6100	1,340	40x20x1.50x6100_E220_CR2_S3_10305-5	5570	30,48
40	20	2	6100	1,760	40x20x2x6100_E220_CR2_S2_10305-5	5612	38,22
40	25	1,5	6100	1,460	40x25x1.50x6100_E220_CR2_S2_10305-5	5573	34,91
40	25	2	6100	1,920	40x25x2x6100_E220_CR2_S2_10305-5	5613	41,78
40	30	1,5	6100	1,580	40x30x1.50x6100_E220_CR2_S2_10305-5	5574	36,74
40	30	2	6100	2,070	40x30x2x6100_E220_CR2_S2_10305-5	5614	44,09
40	40	1,5	6100	1,810	40x40x1.50x6100_E220_CR2_S2_10305-5	5575	34,20
40	40	2	6100	2,390	40x40x2x6100_E220_CR2_S2_10305-5	5615	50,37

Yd1	Yd2	Gods	Längd	Vikt /m	Dimension & Material	Art nr	Pris/m
40	40	2	6000	2,390	40x40x2x6000_S235JR_CR1_S1_10305-5	5611	40,43
40	40	2,5	6100	2,940	40x40x2.50x6100_E220_CR2_S2_10305-5	5642	61,26
40	40	3	6100	3,490	40x40x3x6100_E220_CR2_S2_10305-5	5644	72,25
45	15	1,5	6100	1,340	45x15x1.50x6100_E220_CR2_S3_10305-5	214299	30,48
45	15	2	6100	1,760	45x15x2x6100_E220_CR2_S2_10305-5	5675	37,89
45	25	2	6100	2,070	45x25x2x6100_E220_CR2_S2_10305-5	5676	44,03
45	45	2	6100	2,700	45x45x2x6100_E220_CR2_S2_10305-5	5677	56,89
50	20	1,5	6800	1,580	50x20x1.50x6800_E220_CR2_S2_10305-5	5698	36,74
50	20	2	6100	2,070	50x20x2x6100_E220_CR2_S2_10305-5	5717	44,09
50	25	1,5	6100	1,700	50x25x1.50x6100_E220_CR2_S2_10305-5	5699	39,20
50	25	2	6100	2,230	50x25x2x6100_E235_CR1_S2_10305-5	5719	47,01
50	30	2	6100	2,390	50x30x2x6100_E220_CR2_S2_10305-5	5720	50,37
50	30	2	6000	2,390	50x30x2x6000_S235JR_CR1_S1_10305-5	5715	40,43
50	30	2,5	6100	2,940	50x30x2.50x6100_E220_CR2_S2_10305-5	5748	61,26
50	50	1,5	6100	2,280	50x50x1.50x6100_E220_CR2_S2_10305-5	5700	43,25
50	50	2	6100	3,010	50x50x2x6100_E220_CR2_S2_10305-5	5721	63,44
50	50	2	6000	3,010	50x50x2x6000_S235JR_CR1_S1_10305-5	5716	51,15
50	50	2,5	6100	3,730	50x50x2.50x6100_E220_CR2_S2_10305-5	5749	77,73
50	50	3	6100	4,430	50x50x3x6100_E220_CR2_S2_10305-5	5755	91,77
50	50	3	6000	4,430	50x50x3x6000_S235JR_CR1_S1_10305-5	27193	72,04
55	34	2	6000	2,669	55x34x2x6000_E220_CR2_S2_10305-5	5787	75,70
60	20	2	6100	2,390	60x20x2x6100_E220_CR2_S2_10305-5	5810	50,40
60	30	2	6100	2,700	60x30x2x6100_E220_CR2_S2_10305-5	5811	56,89
60	30	3	6000	3,960	60x30x3x6000_S235JR_CR1_S1_10305-5	5834	64,41
60	40	1,5	6100	2,280	60x40x1.50x6100_E220_CR2_S2_10305-5	5791	51,36
60	40	2	6100	3,010	60x40x2x6100_E220_CR2_S2_10305-5	5812	63,44
60	40	2	6000	3,010	60x40x2x6000_S235JR_CR1_S1_10305-5	5809	51,15
60	60	2	6100	3,640	60x60x2x6100_E220_CR2_S2_10305-5	5813	76,75
60	60	3	6000	5,370	60x60x3x6000_S235JR_CR1_S1_10305-5	27388	88,55
70	20	2	6100	2,700	70x20x2x6100_E220_CR2_S2_10305-5	5847	60,74
70	25	2	6350	2,803	70x25x2x6350_E235_CR1_S2_10305-5	5848	60,16
70	30	2,5	6100	3,720	70x30x2.50x6100_E220_CR2_S2_10305-5	5853	77,74
80	40	2	6100	3,640	80x40x2x6100_E220_CR2_S2_10305-5	5856	76,75

Svetsade precisionsstålrör

Plattovala

YD	YD	Gods	Längd	Vikt/m	Platt ovala	Art nr	Pris/m
36	16	1,5	6100	1,050	36x16x1.50x6100_E220_+CR2_S3_10305-5	5560	25,23
38	20	1,5	6100	1,108	38x20x1.50x6100_E220_+CR2_S3_10305-5	5563	26,91
40	20	1,5	6100	1,160	40x20x1.50x6100_E220_+CR2_S3_10305-5	5576	27,85
40	20	2	6100	1,520	40x20x2x6100_E220_+CR2_S3_10305-5	5616	36,15
45	17	1,5	6100	1,233	45x17x1.50x6100_E220_+CR2_S3_10305-5	5668	29,53
50	20	2	6375	1,830	50x20x2x6375_E220_+CR2_S3_10305-5	5722	43,06
60	30	2	6100	2,320	60x30x2x6100_E220_+CR2_S2_10305-5	5814	53,84